



Industrial PC Labelling Machine

Create durable labels for electrical or datacom installations, via the easy-to-use built-in labelling functions, PC software or from your smartphone or tablet with the Brother cable labelling app.

- Prints on new **heat shrink** tube cartridges
- Prints 6, 9, 12, 18 and 24mm labels
- Industry standard barcode compatible
- Large backlit graphic display
- Advanced cutter (including half cutter) for easy-to-peel labels
- Includes tape cassette, Li-ion Battery, AC adapter, USB cable, wrist strap and carry case
- Over 300 electrical datacom symbols.





The P-touch E550WVP can also use the new Heat shrink tube tape (HSe) in addition to the durable TZE laminated tapes.

P-touch laminated labels – designed to last

Brother P-touch laminated TZe tapes consist of seven layers of materials, resulting in a thin, extremely strong label. Characters are formed with a thermal transfer ink and sandwiched between two protective layers of PET (polyester film). The result is a virtually indestructible label that can withstand even the harshest conditions.

P-touch E550WVP

The P-touch E550WVP is an indispensable tool for all electricians and datacom installers. It comes complete with a lithium-ion rechargeable battery and AC adapter, all housed in a durable carry case. Smart technology, QWERTY keyboard, automatic cutter and a large backlit display helps make the PT-E500VP easy to use to print wider labels for marking cables/fiber/wire, faceplates, patch panels, punch blocks and more. Leave a professional impression by creating high quality labels for your installations.



Prints labels 6 to 24mm in width
Print labels in various widths to suit any space



Automatic label cutter with easy peel
Keeps multiple labels in the correct order



Large backlit graphic LCD
Easily view symbols and preview your label before printing



Specialist label functions
Easily create general, faceplate, cable flag/wrap, patch panel and punch down block labels



Sequential numbering
Print labels containing a sequence of numbers or letters



Database search/merge/print
Upload data from your PC to print labels on-site



384 built-in symbols
Includes common electrical, datacom, AV, security and safety symbols



USB & Wi-Fi
Print from PC or mobile wirelessly



Laminated



Temperature Resistant



Water Resistant



Fade Resistant



Abrasion Resistant



Chemical Resistant



Easy Peel



Strong Adhesion

PT-E550WVP

PT-E550WVP is an industrial labelling machine for the electrical and datacom industry. Fast print speed of 30mm/sec. Prints on durable TZe laminated labels and heat shrink tube tape (HSe). It comes with a flexible ID tape, Li-ion battery, A/C Adapter and a tough carry case. Create professional, durable, laminated labels for cables, faceplates, consumer units and other electrical and datacom installations with its dedicated function keys for easy access.




Heat-shrink tube

Shrinks and grips cable when heat is applied.



Flexible-ID Tape

Use on curved surfaces, sharp bends or cylindrical surfaces.



Strong Adhesive Tape

Use on uneven, rough and textured surfaces.

Technical Specifications

Hardware

Display Type	16 chrs x 3 lines backlit graphic LCD with print preview
Interfaces	USB 2.0, Wi-Fi, Wireless Direct
Print Speed	30mm / sec (maximum)
Maximum Tape Width	24mm
Maximum Print Height	18mm
Cutter Type	Automatic (Full & Half)
Battery Type	BA-E001 Li-ion rechargeable battery (supplied) 6 x AA alkaline/rechargeable batteries - not supplied)

Label Creation

Dedicated Labelling Functions	General; Faceplate; Patch panel; Punch block; Cable wrap; Cable flag; Heat shrink tube Serialise (automatic number incrementation)
Fonts	14 fonts; 10 styles; 6-48 point size
Max. Lines per Label	7 (on 24mm width tape cassette)
Max. text blocks	99
Symbols	384
Frames	7
Barcodes	9 protocols (built into device)
Automatic numbering	1-99
Copy Printing	1-99
Vertical Text Printing	Yes
Rotated text printing	Rotate once; Rotate and repeat

Memory

Maximum Characters/Label	1500
Label Memory Locations	99

PC Software Main Features

Supported Operating Systems	Windows Vista®, Windows® 7, Windows® 8, Mac OS X 10.6 or greater
Cable Labelling Wizard	Yes
Font Faces	All installed true-type fonts
Font Styles	12
Image Import	JPG, BMP, TIFF and other popular types
Screen capture	Yes
Frames	153
Barcodes	21 protocols including 1D/2D barcodes

Items included in value pack

In the Box	PT-E550WVP labelling machine Li-ion rechargeable battery AC adapter 12mm black on white Flexible ID tape Label design software and printer driver CD-ROM USB cable, wrist strap and user guide Carry case
------------	--

Supplies

Tape type; Tape widths	TZe tape cassettes; 6, 9, 12, 18, 24mm HSe tube cassettes; 5.8, 8.8, 11.7, 17.7, 23.6mm
------------------------	--

Optional Accessories

Batteries	BA-E001 Li-ion rechargeable battery AA alkaline/rechargeable batteries (LR6/HR6)
AC Adapter	AD-E001 AC adapter

Weight and Dimensions

126mm(w) x 250mm(h) x 94mm(d); 1.05kg
--



brother
at your side

Brother International South Africa

96 Sovereign Drive, Route 21 Corporate Park, Irene
Tel: 0861 BROTHER Fax: +27 (0) 12 - 345 3886

www.brother.co.za <http://solutions.brother.com>



Working with you for a better environment
www.brotherearth.com



Japanese Excellence
For Over 100 Years